


## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1164	(715/500).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/06/22 16:29
S2	1310	(715/501.1).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/06/22 16:30
S3	2697	(715/513).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/06/22 16:30
S4	153	(715/520).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/06/22 16:30
S5	203	(715/536).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/06/23 15:02
S6	4468	language adj translation	US-PGPUB; USPAT	OR	ON	2006/06/22 16:39
S7	770	S6 and (webpage or (web adj page) or (electronic adj document) or markup)	US-PGPUB; USPAT	OR	ON	2006/06/22 16:39
S8	4468	language adj translation	US-PGPUB; USPAT	OR	ON	2006/06/23 14:55
S9	770	S8 and (webpage or (web adj page) or (electronic adj document) or markup)	US-PGPUB; USPAT	OR	ON	2006/06/23 14:55
S10	289	S9 and tag and (database or (data adj base))	US-PGPUB; USPAT	OR	ON	2006/06/23 14:56
S11	82	S10 and statistic	US-PGPUB; USPAT	OR	ON	2006/06/23 14:56
S12	203	(715/536).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/06/23 15:02
S13	46	S12 and translator	US-PGPUB; USPAT	OR	ON	2006/06/23 15:02

Application #





## Web Site Search:


[Search Tips](#)
Terms used: **natural language translation markup**Found **6,616** of **26,134**

Results 1 - 20 of 6616

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) ... [331](#) [next](#)

1 [ACM Ubiquity - A Novel 3-Tier XML Schematic Approach for Web Page Translation](#)

Size: 97.15KB MIME type: text/html

The proposed scheme uses three XML elements namely, content domain, sentence category and POS category. Give oil . light .

2 [Microsoft Word - Saha-3tier1.doc](#)

Size: 5,904.20KB MIME type: application/pdf

&lt;...

3 [Microsoft Word - 2006j\\_sigirforum\\_geva.doc](#)

Size: 24.79KB MIME type: application/pdf

1 June 2006INEX REPORTThe NLP Task at INEX 2005 Shlomo Geva Queensland University of Technology Brisbane, Australia s. In 2004 INEX introduced a Natural Language Processing task that operated in parallel with the Ad- hoc task (using the same topics and assessments) except that systems operated on XML natural language queries (i. In 2004, participants produced complete NLQ XML- IR systems that accepted natural language queries as input and produced ranked lists of XML elements as output.

4 [Ubiquity - Views - Volume 6](#)

Size: 22.22KB MIME type: text/html

Goutam Kumar Saha explains how a new software-implemented data error recovery scheme can be so effective in comparison to conventional Error Correction Codes (ECC) during the execution time of an application, and says: "The proposed algorithm is three times faster than the conventional software-implemented ECC and application program designers can easily implement the proposed scheme because of its simplicity while designing their fault tolerant applications at no extra hardware cost." Goutam...

5 [thesis.dvi](#)

Size: 1,421.82KB MIME type: application/pdf

9 2 Protocols over Wireless Data Networks 11 21 Unicast Routing in Mobile Networks .  
21 22 Multicasting in Mobile Networks . 30 2221 Multicasting in Mobile ATM Networks .

6 <http://www.acm.org/tods/accepted/2006/MartensExpressiveness.pdf>

Size: 376.78KB MIME type: application/pdf

6 Expressiveness and Complexity of XML Schema

7 <http://www.acm.org/crossroads/xrds6-2/openmath.html>

Application # 10/284,334

Size: 22.46KB MIME type: text/html

An application dependent program manipulates the mathematical objects using its internal representation, it can convert them to OpenMath objects and communicate them by using the byte stream representation of OpenMath objects. This abstract notion of an OpenMath object does have a formal grammar given in [3], and two OpenMath applications may directly communicate OpenMath objects via an internal representation if they share the same representation. OpenMath may use MathML to carry ...

8 [SIGAda 2001 Workshop\\_Symbiosis4Jun02\\_Pub.fm](#)

Size: 374.88KB MIME type: application/pdf

These applications include: automated translation of Ada data types and objects in a specification to an XML schema; and conversely, automated translation of the data types and elements in an XML Schema to an Ada specification. This requires creating applications in Ada that use and support XML; and using XML to create Ada environments including XML based tools. Ada and XML XML, Schema, & XSL Roles XML files contain the data.

9 [tocl.dvi](#)

Size: 606.15KB MIME type: application/pdf

Logical Definability and Query Languages over Ranked and Unranked Trees MICHAEL BENEDIKT Bell Laboratories and LEONID LIBKIN University of Toronto and FRANK NEVEN Hasselt University and Transnational University of Limburg We study relations on trees defined by first order constraints over a vocabulary that includes the tree extension relation  $T \subseteq T_0$ , holding if and only if every branch of  $T$  extends to a branch of  $T_0$ , unary node tests and a binary relation checking if the domains of two trees are...

10 [University of Southern California](#)

Size: 6.08KB MIME type: text/html

Dedicated to research and education in computer science and information technology, the University of Southern California's Information Sciences Institute (ISI) is home to one of the world's largest research groups in Artificial Intelligence. Knowledge Representation and Reasoning Systems USC/ISI's KR&R group has a long-standing track record in building cutting-edge KR&R technology such as its Loom and PowerLoom systems. To help us in this endeavor, we are looking for a research scientist ...

11 [Using the Web Instead of a Window System](#)

Size: 576.94KB MIME type: text/html

The implemented application provides a full, distributed, collaborative editing environment with over a hundred user commands, context sensitive help [14], context sensitive user feedback and bug-report collection, multi-level undo/redo, multi-user sessions. We had previously developed experience in providing automatically generated HTML documents to describe ontologies and other structured objects [9]. People found that using their native hypertext browsing systems to examine these ...

12 [Z:/Documentos/Artigos/aceitos/2006-TODS/camera-ready-web/Journal.dvi](#)

Size: 572.39KB MIME type: application/pdf

PATAX ' O a framework to allow updates through XML views 9 UXQuery Processor UXQuery (view definition query) UXQuery Parser parsed tree XQuery generator XQuery

XQuery parser XML extractor Relational tables referenced in the query SQL Source XML documents Result Set Auxiliary Query Tree Generator XML view XML View parsed tree Relational View Mapper query tree Relational view definitions + query tree XML view XSD generator RDBMS RDBMS View schema UXQuery Processor Fig 5 UXQuery Processor ...

13 <http://www.acm.org/phd/1998/theses/zenel.pdf>

Size: 4,677.66KB MIME type: application/pdf

7 2 IP Support for Proxy Filtering 8 21 PMICP Protocol Design . 14 3 Proxy Server 16 31 Filter Types . 20 35 The Common Proxy Server Interface .

14 [Microsoft Word - Jan06\\_all.doc](#)

Size: 346.39KB MIME type: application/pdf

Wayne Dick's paper, "Using cascading style sheets to accommodate websites for individuals with low vision" is the second of the two papers addressing the needs of low vision users. Page 2 Miguel Alonso describes an advanced method of compensating for specific vision impairments in his paper, "A method for enhancing digital information displayed to computer users with visual refractive errors via spatial and spectral based processing." The paper, "Using functional assessment to improve ...

15 [Microsoft Word - IT Volume-October 2005.doc](#)

Size: 502.79KB MIME type: application/pdf

As described in Chapter 1, the full Computing Curriculum 2004 report (CC2004) consists of several volumes, each containing separate recommendations for computing disciplines, including Computer Engineering, Computer Science, Information Technology, Information Systems, and Software Engineering. - 3 - describes the core material of the Information Technology curriculum, and Chapter 8 describes the additional material necessary to constitute a complete baccalaureate curriculum in Information ...

16 <http://www.acm.org/sigada/wg/asiswg/issues/issue011.txt>

Size: 241.45KB MIME type: text/plain

Their experience has been a valuable input for evolving the ASIS specifications to support Ada 95 for lightweight library environments and the development of the ASIS Library Model. The term "ASIS Library" has two origins - RM 83 and the first ASIS (83) implementations which were developed for the heavyweight Ada compilation systems. In case of GNAT there is no reason to keep any information about ASIS Library in the time between activating the ASIS Environment by any of ASIS applications ...

17 [USACM Technology Policy Weblog](#)

Size: 764.15KB MIME type: text/html

Legislative Hearing on H.R. \_\_\_\_, the "Cyber-Security Enhancement and Consumer Data Protection Act of 2006" House Judiciary - Subcommittee on Crime, Terrorism and Homeland Security 9 a.m., 2141 Rayburn Bldg. Original Post 4/27/06: This post was supposed to cover two different stories on the Digital Millennium Copyright Act (DMCA), but it ran long so I broke it into two related posts. Last week, USACM joined a diverse collection of consumer, privacy, technology, and other groups calling ...

18 [1998 ACM Computing Classification System:](#)

Size: 80.85KB MIME type: text/html

Copyright 2006, by the Association for Computing Machinery, Inc. Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers, or to redistribute to lists, requires prior specific permission and/or a fee. Request permission...

**19** <http://www.acm.org/class/1998/ccs98.txt>

Size: 47.73KB MIME type: text/plain

Copyright 2006, by the Association for Computing Machinery, Inc. Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers, or to redistribute to lists, requires prior specific permission and/or a fee. \*Indicates that ...

**20** [SASAKI](#)

Size: 24.16KB MIME type: application/pdf

First, it shows that internationalization is relevant for a wide range of technologies: character encoding, bidirectional text, text formatting, character processing, datatype specific issues etc. Second, the article discusses chances and challenges for possibly new areas of internationalization like internationalized web services or markup for internationalization purposes. Datatype- specific Operations: Processing Time Information The following examples for internationalization issues ...

---

Results 1 - 20 of 6616      Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) ... [331](#)    [next](#)

Association for Computing Machinery. Copyright © 2006 ACM, Inc.  
[Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)